



**Windows Notes**

1. VERIFY ALL WINDOW OPENINGS AND FIELD CONDITIONS PRIOR TO ORDERING ANY WINDOWS
2. ALL GLAZING TO CONFORM TO CHICAGO BUILDING CODE
3. VERIFY THAT EACH BEDROOMS HAS AN EGRESS WINDOWS, 5.7 SF CLEAR OPENING AND A MIN DIMENSIONS 20 INCHES IN WIDTH AND 24 INCHES IN HEIGHT, MAXIMUM SILL HEIGHT 44 INCHES.
4. FOR SAFETY GLAZING REQUIREMENTS AND DETAILS CONSULT SPECIFICATIONS
5. COLOR AND MATERIAL TO MATCH EXISTING
6. ALL WINDOW SELECTIONS SHALL BE APPROVED BY OWNER

7. WINDOW DESIGNATIONS NOMENCLATURE -

5040  
— FEET INCHES WIDE  
— FEET INCHES HIGH

8. DOOR DESIGNATIONS NOMENCLATURE -

3068  
— FEET INCHES WIDE  
— FEET INCHES HIGH

**FRONT ELEVATION**

SCALE: 1/4" = 1'-0"

Window Data				Door Data		
WINDOW MARK	LIGHT PROVIDED	VENT PROVIDED	MANUF.	TYPE	DOOR MARK	MANUF.
A	3.5	0.0	ANDERSON 400	SKYLIGHT 1	2	JELD-WEN 1/2 LITE
B	6.6	0.0	ANDERSON 400	SKYLIGHT 2	1	JELD-WEN 1/2 LITE
2630	6.8	3.2	ANDERSON 200	DBL HUNG		
2046	8.9	4.3	ANDERSON 200	DBL HUNG		
2646	10.2	5.1	ANDERSON 200	DBL HUNG		
3046	13.2	6.4	ANDERSON 200	DBL HUNG		

**WEST ELEVATION**

SCALE: 1/4" = 1'-0"



**REAR ELEVATION**

SCALE: 1/4" = 1'-0"

**EAST ELEVATION**

SCALE: 1/4" = 1'-0"